Volume 48

Author Index

Abu-Zeid, H.A.H., see Omar, M.S., 195
Akoh, J.I., see Ufomadu, G.O., 137
Alaribe, A.A.A., see Ejezie, G.C., 17
Archibald, C.P., Mak, J.W., Mathias, R.G. and Selvajothi, S.
Antibodies to *Plasmodium falciparum* in an indigenous population from a malaria endemic area of Malaysia, 149

Barral-Netto, M., see Pompeu, M.L., 185
Berger, B.W., see MacDonald, A.B., 89
Bienzle, U., see De Jonge, N., 25
Bjørn, H., Monrad, J., Kassuku, A.A. and Nansen, P.
Resistance to benzimidazoles in *Haemonchus contortus* of sheep in Tanzania, 59
Blomberg, J., see Olusanya, O., 101
Boonamrung, S., see Looareesuwan, S., 263
Brattig, N.W., see Strote, G., 1
Brenière, S.F., see Veas, F., 79

Cairncross, S., see Killewo, J.Z.J., 247
Cheirmaraj, K. and Harinath, B.C.
Humoral immune response to infective larval antigen in *Brugia malayi* infected *Mastomys natalensis*, 305
Chen, M.G.
Relative distribution of *Schistosoma japonicum* eggs in the intestine of man: a subject of inconsistency, 163
Christensen, N.Ø., see Monrad, J., 69
Colardelle, C., see Trail, J.C.M., 47
Crowder, C.G., see Nayar, J.K., 173
Cuny, G., see Veas, F., 79

Defalla, A.A., see De Jonge, N., 25
Davis, T.M.E., Ho, M., Supanaranond, W., Looareesuwan, S., Pukrittayakamee, S. and White, N.J.
Changes in the peripheral blood eosinophil count in falciparum malaria, 243
Davis, T.M.E., see Looareesuwan, S., 263
De Jonge, N., Schommer, G., Feldmeier, H., Krijger, F.W., Dafalla, A.A., Bienzle, U. and Deelder, A.M.
Mixed *Schistosoma haematobium* and *S. mansoni* infection: Effect of different treatments on the serum level of circulating anodic antigen (CAA), 25
De Sole, G., Giese, J., Keita, F.M. and Remme, J.
Detailed epidemiological mapping of three onchocerciasis foci in West Africa, 203
Deelder, A.M., see De Jonge, N., 25
Desakorn, V., see Looareesuwan, S., 263
d'Ieteren, G.D.M., see Trail, J.C.M., 37, 47, 285

Eckert, J., see Vogel, M., 109
Ejezie, G.C., Ezedinachi, E.N.U., Usanga, E.A., Gemade, E.I.I., Ikpatt, N.W. and Alaribe, A.A.A.
Malaria and its treatment in rural villages of Aboh Mbaise, Imo State, Nigeria, 17
Ekejindu, G.O.C., see Ufomadu, G.O., 137
Ezedinachi, E.N.U., see Ejezie, G.C., 17

Feldmeier, H., see De Jonge, N., 25
Feron, A., see Trail, J.C.M., 37
Flury, K., see Vogel, M., 109
Freitas, L.A., see Pompeu, M.L., 185

Geissberger, P. and Séquin, U.
Constituents of *Bidens pilosa* L.: Do the components found so far explain the use of this plant in traditional medicine?, 251
Gemade, E.I.I., see Ejezie, G.C., 17
Giese, J., see De Sole, G., 203
Giovanni De Simone, S., Pinho, R.T., Vanni, C.M.M. and Pontes de Carvalho, L.C.
Isolation and immunological analysis of *Trypanosoma cruzi* glycolipids, 233
Gottstein, B., see Vogel, M., 109

Habbema, J.D.F., see Plaisier, A.P., 271
Harinath, B.C., see Cheirmaraj, K., 305
Ho, M., see Davis, T.M.E., 243

Ikpatt, N.W., see Ejezie, G.C., 17

Jenni, L., see Schweizer, J., 319

Kakiese, O., see Trail, J.C.M., 37
Kaminsky, R., see Zweyagarth, E., 95, 223

Kane, R.A., see Strahan, K., 117
Kassuku, A.A., see Bjørn, H., 59
Keita, F.M., see De Sole, G., 203
Khouri, M., see Pompeu, M.L., 185
Killewo, J.Z.J., Cairncross, S., Smet, J.E.M., Maikwano, L.F. and Van Asten, H.
Patterns of hookworm and *Ascaris* infection in Dar es Salaam, 247
Knight, J.W., see Nayar, J.K., 173
Komba, S., see Lengeler, C., 313
Krijger, F.W., see De Jonge, N., 25
Krishna, S., see Looareesuwan, S., 263
Kristensson, K., see Wiesenfeld-Hallin, Z., 215

Lengeler, C., Komba, S. and Morona, D.
Urinary schistosomiasis: Influence of the circadian variation of hematuria and proteinuria on reagent stick testing, 313
Litchfield, T.M., Mackenzie, C.D. and Varma, M.G.R.
The conditions required for the maintenance of *Onchocerca lienalis* microfilariae in vitro, 293
Looareesuwan, S., Davis, T.M.E., Pukrittayakamee, S., Supanaranond, W., Desakorn, V., Silamut, K., Krishna, S., Boonamrung, S. and White, N.J.
Erythrocyte survival in severe falciparum malaria, 263
Looareesuwan, S., see Davis, T.M.E., 243

MacDonald, A.B., Berger, B.W. and Schwan, T.G.
Clinica implications of delayed growth of the Lyme borreliosis spirochete, *Borrelia burgdorferi*, 89
Mackenzie, C.D., see Litchfield, T.M., 293
Mahfouz, A.A.R., see Omar, M.S., 195
Maikwano, L.F., see Killewo, J.Z.J., 247
Maille, J.C., see Trail, J.C.M., 47, 285
Mak, J.W., see Archibald, C.P., 149
Mathias, R.G., see Archibald, C.P., 149
Maudlin, I., Welburn, S.C. and Milligan, P.
Salivary gland infection: a sex-linked recessive character in tsetse?, 9
McNamara, J.J. and Snow, W.F.
Improved identification of *Nannomonas* infections in tsetse flies from The Gambia, 127
Milligan, P., see Maudlin, I., 9
Moloo, S.K.
Large-scale rearing of *Glossina longipennis* in the laboratory, 159
Monrad, J., Christensen, N.Ø. and Nansen, P.
Acquired resistance in goats following a single primary *Schistisoma bovis* infection, 69
Monrad, J., see Bjørn, H., 59
Morona, D., see Lengeler, C., 313
Mulungo, M., see Trail, J.C.M., 37
Müller, N., see Vogel, M., 109

Nansen, P., see Bjørn, H., 59
Nansen, P., see Monrad, J., 69
Nayar, J.K., Crowder, C.G. and Knight, J.W.
In vitro development of *Brugia pahangi* and *Brugia malayi* in cultured mosquito thoraces, 173
Nwoke, B.E.B., see Ufomadu, G.O., 137

Olusanya, O. and Blomberg, J.
Antibody prevalence against rubella among hospital personnel in Nigeria: Implications for health care system and immunisation policy, 101
Omar, M.S., Abu-Zeid, H.A.H. and Mahfouz, A.A.R.
Intestinal parasitic infections in schoolchildren of Abha (Asir), Saudi Arabia, 195
Ordner, G., see Trail, J.C.M., 47

Pawłowski, Z.S.
Efficacy of low doses of praziquantel in taeniasis, 83
Pelo, M., see Trail, J.C.M., 37
Pinho, R.T., see Giovanni De Simone, S., 233
Plaisier, A.P., Van Oortmarssen, G.J., Remme, J. and Habbema, J.D.F.
The reproductive lifespan of *Onchocerca volvulus* in West African savanna, 271
Pompeu, M.L., Freitas, L.A., Santos, M.L.V., Khouri, M. and Barral-Netto, M.
Granulocytes in the inflammatory process of BALB/c mice infected by *Leishmania amazonensis*. A quantitative approach, 185
Pontes de Carvalho, L.C., see Giovanni De Simone, S., 233
Pukrittayakamee, S., see Davis, T.M.E., 243
Pukrittayakamee, S., see Looareesuwan, S., 263

Remme, J., see Plaisier, A.P., 271
Remme, J., see De Sole, G., 203
Rollinson, D., see Strahan, K., 117

Samuelsson, E.-B., see Wiesenfeld-Hallin, Z., 215
Santos, M.L.V., see Pompeu, M.L., 185
Sato, Y., see Ufomadu, G.O., 137
Sauveroche, B., see Trail, J.C.M., 47
Schommer, G., see De Jonge, N., 25
Schultzberg, M., see Wiesenfeld-Hallin, Z., 215
Schwan, T.G., see MacDonald, A.B., 89
Schweizer, J. and Jenni, L.
Hybrid formation of the life cycle of

Trypanosoma (*T.*) *brucei*: Detection of hybrid trypanosomes in a midgut-derived isolate, 319
Seebeck, Th., see Vogel, M., 109
Selvajothi, S., see Archibald, C.P., 149
Shiwaku, K., see Ufomadu, G.O., 137
Silamut, K., see Looareesuwan, S., 263
Smet, J.E.M., see Killewo, J.Z.J., 247
Snow, W.F., see McNamara, J.J., 127
Strahan, K., Kane, R.A. and Rollinson, D.
Development of cloned DNA probes for the identification of snail intermediate hosts within the genus *Bulinus*, 117
Strote, G., Brattig, N.W. and Tischendorf, F.W.
Ultrastructural study of the interaction between eosinophilic granulocytes and third and fourth stage larvae of *Onchocerca volvulus*, 1
Supanaranond, W., see Davis, T.M.E., 243
Supanaranond, W., see Looareesuwan, S., 263
Séquin, U., see Geissberger, P., 251

Tibayrenc, M., see Veas, F., 79
Tischendorf, F.W., see Strote, G., 1
Trail, J.C.M., D'Ieteren, G.D.M., Colardelle, C., Maille, J.C., Ordner, G., Sauveroche, B. and Yangari, G.
Evaluation of a field test for trypanotolerance in young N'Dama cattle, 47
Trail, J.C.M., d'Ieteren, G.D.M., Feron, A., Kakiese, O., Mulungo, M. and Pelo, M.
Effect of trypanosome infection, control of parasitaemia and control of anemia development on productivity of N'Dama cattle, 37
Trail, J.C.M., d'Ieteren, G.D.M., Maille, J.C. and Yangari, G. Genetic aspects of control of anaemia development in trypanotolerant N'Dama cattle, 285
Tumbau, M., see Ufomadu, G.O., 137

Uchida, A., see Ufomadu, G.O., 137
Ufomadu, G.O., Nwoke, B.E.B., Akoh, J.I., Sato, Y., Ekejindu, G.O.C., Uchida, A., Shiwaku, K., Tumbau, M. and Ugomo, K.K.
The occurrence of loiasis, mansonellosis and wucheriasis in the Jarawa River Valley, Central Nigeria, 137
Ugomo, K.K., see Ufomadu, G.O., 137
Usanga, E.A., see Ejezie, G.C., 17

Van Asten, H., see Killewo, J.Z.J., 247
Van Oortmarssen, G.J., see Plaisier, A.P., 271
Vanni, C.M.M., see Giovanni De Simone, S., 233
Varma, M.G.R., see Litchfield, T.M., 293
Veas, F., Cuny, G., Brenière, S.F. and Tibayrenc, M.
Subspecific kDNA probes for major clones of *Trypanosoma cruzi*, 79
Vogel, M., Müller, N., Gottstein, B., Flury, K., Eckert, J. and Seebeck, Th.
Echinococcus multilocularis: Characterization of a DNA probe, 109

Webster, P., see Zweygarth, E., 95
Welburn, S.C., see Maudlin, I., 9
White, N.J., see Davis, T.M.E., 243
White, N.J., see Looareesuwan, S., 263
Wiesenfeld-Hallin, Z., Kristensson, K., Samuelsson, E.-B. and Schultzberg, M.
Studies of hyperalgesia induced by *Trypanosoma brucei brucei* infection in rats, 215

Yangari, G., see Trail, J.C.M., 47, 285

Zweyagarth, E. and Kaminsky, R.
Evaluation of DL-α-difluoromethylornithine against susceptible and drug-resistant *Trypanosoma brucei brucei*, 223
Zweygarth, E., Kamisnky, R. and Webster, P.
Trypanosoma brucei evansi: Dyskinetoplasia and loss of infectivity after long-term in vitro cultivation, 95

Volume 48

Key Word Index

Aedes aegypti, 173
African trypanosomes, 37
Amoebiasis, 195
Anaemia, 37, 47
Anaemia control, 285
Anopheles quadrimaculatus, 173
Anthelmintic resistance, 59
Anti-glycolipid antibodies, 233
Anti-inflammatory compounds, 251
Antimicrobial compounds, 251
Ascaris, 247

Benzimidazoles, 59
Bidens pilosa 1, 251
Borrelia burgdorferi, 89
Brugia malayi, 173, 305
Brugia pahangi, 173
Bulinus, 117
Bulinus cernicus, 117

Calcitonin gene-related peptide, 215
Chagas' disease, 79
Chemotherapy, 25
Circadian variation, 313
Circulating antigens, 25
Clinical pathology, 69
Colonization, 159
Cyclical transmission, 9

Delayed growth, 89
DFMO, 223
DL-α-Difluoromethylornithine, 223
DNA probes, 109, 117, 127
Drug sensitivity, 223
Drug susceptibility, 95
Drug synergy, 223
Dyskinetoplasia, 95

East Africa, 247
Echinococcus multilocularis, 109
Eflornithine, 223
ELISA, 25, 305
Eosinopenia, 243
Eosinophilia, 243
Eosinophils, 1, 185, 243
Epidemiological mapping, 203
Experimental infection, 69
Experimental leishmaniasis, 185

Falciparum malaria, 263
Filariae, 173
Filariasis, 305

Genetics, 285
Giardiasis, 195
Glossina longipennis, large-scale rearing, 159
Glossina morsitans centralis, 319
Glossina morsitans morsitans, 9
Glycolipids, 233
Goats, 69
Granulocytes, 185

Haemonchus contortus, 59
Hematuria, 313
Hexane-isopropanol, 233
Hookwork, 247
Hot plate analgesimeter, 215
Human intestine, 163
Humoral immune response, 305
Hybrid formation, localization, 319
Hymenolepiasis, 195
Hyperalgesia, 215

Immunity, 101
Immunodiagnosis, 25
Immunohistochemistry, 215
Infectivity, 95
Intermediate hosts, 117
Intestinal parasites, 195
Isoenzyme analysis, 319

Lectin, 9
Leishmania amazonensis, 185
Leishmaniasis, 185
Loa loa, 137
Lyme borreliosis, 89

Malaria, 243
Malaria antibodies, 149
Malaria, clinical presentation, 17
Malaria, endemic area, 17
Malaria seroepidemiology, 149
Malaria treatment, 17
Mansonella perstans, 137

Mel W, 223
Metrifonate, 25
Microfilaraemia, 137
Microfilariae, in vitro, 293
Monoclonal antibody, 25
Mosquito thorax, 173

N'Dama cattle, 37, 47, 285
Neutrophils, 185
Nigeria, 137

Onchocerca lienalis, development, 293
Onchocerca volvulus, 203, 271
Oncocerca volvulus, infective stages, 1
Onchocerciasis, 271
Onchocerciasis Control Programme in West Africa, 203
Oxamniquine, 25

Parasitaemia, 37, 47
Parasite egg regulation, 69
Parasite lifespan, 271
Plant constituents, 251
Plasmodium falciparum, 149, 243
Polymerase chain reaction, 79
Praziquantel, 25, 83
Probes, non-radiolabelled, 79
Productivity, 37
Proteinuria, 313

Reagent sticks, 313
Red cell survival, 263
Rubella, 101

Saudi Arabia, 195
Savanna, 137
Schistosoma bovis, 69
Schistosoma haematobium, 25
Schistosoma japonicum eggs, 163
Schistosoma mansoni, 25
Sensory afferents, 215
Sex linkage, 9
Sheep nematodes, 59
Simulation model, 271
Snails, 117
Southern blot hybridization, 109
Speciation, 109
Substance P, 215
Suramin, 223

Taeniasis in man, 83
Tanzania, 59
Tegumentary leishmaniasis, 185
Traditional medicine, 251
Trematode, 25
Trypanosoma (*T.*) *brucei*, 319
Trypanosoma brucei brucei, 223
Trypanosoma brucei evansi, 95
Trypanosoma brucei rhodesiense, 9
Trypanosoma congolense, 127
Trypanosoma cruzi, 233
Trypanosoma grayi, 127
Trypanosoma simiae, 127
Trypanosomes, 127, 215
Trypanotolerance, 285
Trypanotolerance test, 47
Tsetse, 9, 127

Ultrastructure, 1
Urinary schistosomiasis, 313

Vaccination, 101

Wuchereria bancrofti, 137

Zymodemes, 79